

Big size trolley designed for transportation and storage of profiled bars during the cutting phase.



Emmegi S.p.A. Via Archimede, 10 41019 - Limidi di Soliera (MO) ITALY

Tel +39 059 895411 Fax +39 059 566286 P.lva/C.Fisc 01978870366 info@emmegi.com www.emmegi.com The right to make technical alterations is reserved.

1

## 🛆 emmegi 🖥

## **TECHNICAL SHEET**

12/09/2025




## Adjustable vertical containment

System that allows bars to be housed on support surfaces.



**Surface in nonslip PVC** The surfaces are covered with soft nonslip PVC, which provides safe support for carrying the profiles.



## **Pivoting wheels**

Equipped with 4 pivoting wheels with brakes, they ensure a high degree of mobility and easy handling of the object. Locking the braking units allows their position to be fixed near different work areas.



Emmegi S.p.A. Via Archimede, 10 41019 - Limidi di Soliera (MO) ITALY

Tel +39 059 895411 Fax +39 059 566286 P.lva/C.Fisc 01978870366 info@emmegi.com www.emmegi.com The right to make technical alterations is reserved.



**BAR / PROFESSIONAL TROLLEYS** 

CHARACTERISTICS	
Soft PVC contact surface	•
Plug-in storage of unloaded trolleys	•
4 swivel casters, 2 of which have locking stops (mm)	Ø = 150
Adjustable centre supports	•
Removable bar containment device with two preset heights	•
Length (mm)	4.150
Width (mm)	852
Height (mm)	982
Load capacity (kg)	600
Weight (kg)	80

Included • Available O



Emmegi S.p.A. Via Archimede, 10 41019 - Limidi di Soliera (MO) ITALY

Tel +39 059 895411 Fax +39 059 566286 P.lva/C.Fisc 01978870366 info@emmegi.com www.emmegi.com The right to make technical alterations is reserved.