
ROTOLIMA

FILING MACHINES FOR ALUMINIUM



Rotary disc filing machine for aluminium, with cutting on 2 faces, provided with goniometer and stop. Scratch-proof work table.

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.



Disc protection

The machining area protected by transparent polycarbonate cover that ensures operator protection.



Circuit breaker

Motor protection to prevent overheating and preserve its integrity is provided by the presence of the circuit breaker.



Adjustable feet

Rubber feet ensure that the machine rests on the ground. They can also be adjusted in height to best suit the floor surface.

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.

ROTOLIMA / FILING MACHINES FOR ALUMINIUM

CHARACTERISTICS	
Motor (kW)	0,75
Tool speed (rpm)	700
Diameter of disc sharper (mm)	250
Net weight (kg)	90
Steel disc sharper	●

Included ● Available ○

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.