STACK

TROLLEYS




Trolley dedicated to horizontal transportation and storage of cut profiles.

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY


Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.



Contact surfaces

All contact surfaces are coated with soft nonslip PVC, which ensures the integrity of the surfaces in the housing stages.



Adjustable centre supports

The adjustability of the centre supports allows extrusions of different lengths to be accommodated, facilitating their identification.



Pivoting wheels

Equipped with 4 pivoting wheels with brakes, they ensure a high degree of mobility and easy handling of the object. Locking the braking units allows their position to be fixed near different work areas.

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.

STACK / TROLLEYS

CHARACTERISTICS	
Soft PVC contact surface	●
Number of compartments	10
4 low-wear swivel casters, 2 of which with locking (mm)	Ø = 125
Adjustable centre supports	●
Length (mm)	1.800
Width (mm)	860
Height (mm)	1.950
Load capacity (kg)	500
Weight (kg)	55

Included ● Available ○

Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.