

Stack

Professional trolleys




Trolley dedicated to horizontal transportation and storage of cut profiles.


Emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.

**Contact surfaces**

All contact surfaces are coated with soft nonslip PVC, which ensures the integrity of the surfaces in the housing stages.

**Adjustable centre supports**

The adjustability of the centre supports allows extrusions of different lengths to be accommodated, facilitating their identification.

**Pivoting wheels**

Equipped with 4 pivoting wheels with brakes, they ensure a high degree of mobility and easy handling of the object. Locking the braking units allows their position to be fixed near different work areas.

STACK / PROFESSIONAL TROLLEYS

CHARACTERISTICS

Soft PVC contact surface	●
Number of compartments	10
4 low-wear swivel casters, 2 of which with locking (mm)	Ø = 125
Adjustable centre supports	●
Length (mm)	1.800
Width (mm)	860
Height (mm)	1.950
Load capacity (kg)	500
Weight (kg)	55

Included ● Available ○

emmegi S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel +39 059 895411
Fax +39 059 566286
P.Iva/C.Fisc 01978870366
info@emmegi.com
www.emmegi.com

The right to make technical alterations is reserved.