

10/12/2025





Single-head, rising blade cutting-off machine for large sections. Designed for cutting at 90° only.

TECHNICAL SHEET

10/12/2025





Vices

The workpiece is clamped using horizontal and vertical vices, which are characterised by extremely fast positioning. The robustness of the mechanical structure used ensures the extreme rigidity of workpiece clamping on the work benches.



Blade

The cutting-off machine is equipped with a 650 mm-diameter Widia blade mounted on a pneumatic feed system, which ensures the rigidity of the system and, at the same time, the power needed to process profiles with large sections.



Control

The control console allows userfriendly and intuitive machine operation. Machine management control is complemented by the vice pressure adjustment system and the ability to adjust the blade output speed.



Cutting zone

To enable maximum utilization of the large cutting capacity, which ensures the machinability of large profiles, the cutting zone features a sturdy structure designed to ensure maximum stiffness. This is with regard to both the horizontal plane and the vertical square.





FIX 650 / SINGLE HEAD CUTTING-OFF MACHINES


BLADE Made of Widia (mm) Ø = 650 Swarf conveyor for blade ●

BLADE FEED

Hydro-pneumatic

•

CUTTING DIAGRAM



CUTTING AREA PROTECTION

Full guard manually operated

Automatic opening of the blade protection

0

LUBRICATION SYSTEM

Minimal oil diffusion lubrication system

WORKPIECE LOCKING

Pair of vertical pneumatic vices with pressure reducer plus pressure gauge

Pair of horizontal pneumatic vices with pressure reducer plus pressure gauge

Additional horizontal vice

Emmegi S.p.A. Via Archimede, 10 41019 - Limidi di Soliera (MO) ITALY Tel +39 059 895411 Fax +39 059 566286 P.lva/C.Fisc 01978870366 info@emmegi.com www.emmegi.com The right to make technical alterations is reserved.





TECHNICAL SHEET

10/12/2025

MOTOR	
Three-phase brake motor	•
Brake intervention time (s)	10
Power (kW)	5,5

Included • Available \circ